


Modular Electric Deck Ovens: 2 Pan Models

Product Data Sheet Pg 1/4



SV Series Deck Oven



	4060	4666
A	99	106
B	116	128

# of Decks	Deck Oven Interior Dimensions W x D	Deck Oven Capacity	Deck Oven Exterior Dimensions W x D	Sv & Std Height	Sv & Std Weight	Sv & Std Amps	Deck Oven Pan Layout
1 Deck		2 Pan		---	220	8	1 DECK, 2 PAN
2 Deck	Sv Series 27" x 37"	4 Pan	Sv Series 42" x 51"	67"	662	12	2 DECK, 4 PAN
3 Deck	Std Series 37" x 26"	6 Pan	Std Series 52" x 40"	72"	992	18	3 DECK, 6 PAN
4 Deck		8 Pan		84"	1323	24	4 DECK, 8 PAN

Add 1 KW for Proofer.

ALL BASE OPTIONS LEGS,PAN STORAGE CABINET OR PROOFER 34" HEIGH


BAKER'S BEST

KEEP AMERICA BAKING


Modular Electric Deck Ovens: 2 Pan Models

Tech Specs Sheet Pg 2/4

FT




GB



OVEN TYPE	A
1 CHAMBER	190
2 CHAMBERS	190
3 CHAMBERS	80

USEFUL H.	180	230	280
B	310	360	410



TECHNICAL FEATURES	WITH ECONOMIZER	/
INSTALLED POWER FOR SINGLE CHAMBER (KW)	2,5 KW	5 KW
AVERAGE CONSUMPTION FOR SINGLE CHAMBER	3,3 KW/H	
INSTALLED POWER PROOFER	0,5 KW	
AVERAGE CONSUMPTION PROOFER	0,3 KW	
ELECTRIC POWER FOR STEAM GENERATOR FOR SINGLE CHAMBER	0,7 KW	
USEFUL DIMENSIONS BAKING CHAMBER	690X950	
MINIMUM PASSAGE FOR DISSEMBLED OVEN	800 X 1100	

1 STEAM EXHAUST PIPE	Ø120
2 WATER ARRIVAL	Ø1/2"
3 WATER DISCHARGE	Ø1/2"
4 ELECTRIC ENERGY ARRIVAL	

SU 46X66 OVEN
WITH PROOFER



DATA

VISTO

DATA

BOLL.

DIS.

DIS.N°

Sistema Qualita'

DISEGNO DI PROPRIETA' RISERVATA E NON PUO' ESSERE RIPRODOTTO O MOSTRATO A TERZI AI SENSI DI LEGGE

1-BASE 2-IN

Baker's Best, Inc. ▪ 6935 Stearns St. ▪ Houston, TX 77021 ▪ Ph: 713-748-5441 ▪ Fax: 713-748-5453
1-800-496-2249 ▪ Sales@bestovens.com ▪ www.bestovens.com

Modular Electric Deck Ovens: 2 Pan Models

Product Data Sheet Pg 3/4



15 cm

31 cm


31 cm

31 cm

75 cm
Proofer

11 cm*

Standard Series Deck Oven



	4060	4666	4676
A	120	132	132
B	96	102	112

# of Decks	Deck Oven Interior Dimensions W x D	Deck Oven Capacity	Deck Oven Exterior Dimensions W x D	Sv & Std Height	Sv & Std Weight	Sv & Std Amps	Deck Oven Pan Layout
1 Deck		2 Pan		---	220	8	1 DECK, 2 PAN
2 Deck	Sv Series 27" x 37"	4 Pan	Sv Series 42" x 51"	67"	662	12	2 DECK, 4 PAN
3 Deck	Std Series 37" x 26"	6 Pan	Std Series 52" x 40"	72"	992	18	3 DECK, 6 PAN
4 Deck		8 Pan		84"	1323	24	4 DECK, 8 PAN

Add 1 KW for Proofer.

ALL BASE OPTIONS LEGS, PAN STORAGE CABINET OR PROOFER 34" HIGH


BAKER'S BEST

KEEP AMERICA BAKING


Modular Electric Deck Ovens: 2 Pan Models

Tech Specs Sheet Pg 4/4

FT



GB




OVEN TYPE	A
1 CHAMBER	190
2 CHAMBERS	190
3 CHAMBERS	80

PANS 46X66	C	D	E	F
	690	910	1020	1195

PANS 46X76	C	D	E	F
	790	1010	1120	1295

USEFUL H.	180	230	280
B	310	360	410



TECHNICAL FEATURES	WITH ECONOMIZER	/
INSTALLED POWER FOR SINGLE CHAMBER (KW)	2,3 KW	4,5 KW
AVERAGE CONSUMPTION FOR SINGLE CHAMBER	2,7 KW/H	
INSTALLED POWER PROOFER	0,5 KW	
AVERAGE CONSUMPTION PROOFER	0,3 KW	
ELECTRIC POWER FOR STEAM GENERATOR FOR SINGLE CHAMBER	0,7 KW	
USEFUL DIMENSIONS BAKING CHAMBER	950 X C	
MINIMUM PASSAGE FOR DISSEMBLED OVEN	800 X E	

1 STEAM EXHAUST PIPE	Ø120
2 WATER ARRIVAL	Ø1/2"
3 WATER DISCHARGE	Ø1/2"
4 ELECTRIC ENERGY ARRIVAL	

MODULAR OVEN
2 PANS 46X66 - 46X76
WITH PROOFER



DATA	VISTO	DATA
BOLL.	DIS.	DIS. N°
		P05/571
Sistema Qualita'	DISEGNO DI PROPRIETA' RISERVATA E NON PUO' ESSERE RIPRODOTTO O MOSTRATO A TERZI AI SENSI DI LEGGE	

1-BASE 2-IN